

EN English

Aluminium Cheese Holding Plate



HOLD


HECBOX

User Manual

OVERVIEW

Before operating the unit, please read this manual thoroughly and save it for future reference.


The HEDBOX HOLD II Cheese Plate is a multi-purpose, anodized, precisely processed aluminum camera accessory mounting plate. Constructed from dur-aluminum alloy, HOLD II represents a high-quality product that enables you to mount various accessories and separately available battery plate on the back of your camera. HOLD II is specially designed for UNIX battery power plates. The plate is 8 mm (5/16") thick and features 120 various types of threaded holes for accessories to be screwed into. Thanks to threaded hole positions, this frame-style cheese plate is compatible with – Anton Bauer, IDX, Ikan, Shape, FXLion, Cinegears, Generay, Swit, Blueshape, Bebob, Dynacord, Hakwoods, Switronix, Core, and many others.



Use the HOLD II plate only with equipment according to Manual/Operating Instructions recommendations.

120 Threaded holes spec

HEDBOX HOLD II provides an option for mounting various support products onto your camera rig's 15mm LWS rod system.





- 95x – 1/4"-20 threaded holes
- 5x – 3/8"-16 threaded holes
- 7x – Fly Holes
- 13x – 1/4"-20 Side Mounting threaded holes

• Please use 4 x M3 screw to securely fit the UNIX plate to the desired unit, on which the Adaptor Plate will be used accordingly.

• The Box of HOLD II is supplied with 4 x M3x12 screws.

Side Mounting Threads

HEDBOX HOLD II provides an option for mounting various Camera accessories on the side of the plate, thanks to multiple 1/4" - 20 Mounting Threads incorporated on the side of the plate.



- To use HOLD II with other products that require other hole layouts , please use designed holes to firmly fit the plate to the designed products.

Caution in use

- Keep away from children.
- Please consult the store where you purchased this plate or your sales representative before using the HOLD II plate in a product whose operation manual/operating instruction does not explicitly state that the HOLD II plate can be used or before using the HOLD II plate in conjunction with other products.
- Inappropriate use of the cheese plate may result in damaging the threaded holes.

Specification

Battery Plate Mount:	4x M3 threaded holes / V-Mount ; Gold -Mount
Support Mount A:	95x – 1/4"-20 threaded holes
Support Mount B:	5x – 3/8"-16 threaded holes
Support Mount C:	7x – Fly Holes
Side Mounting :	13x – 1/4"-20 threaded holes
Surface Treatment :	Sand Blasting – Deep Anodizing
Material :	High-Quality Dur-Aluminium Alloy
Anodizing Color:	Black
Dimensions (WxDxH):	5.6 x 0.32 x 3.2" / 142 x 8 x 82 mm
Net Weight:	5.3 oz / 150 g

- Design and specifications are subject to change without notice.

If you want to know more about HEDBOX Products please visit our website: **www.hedbox.com**

HEDBOX



Note:

Always ensure that the unit is operating properly before use.
HEDBOX WILL NOT BE LIABLE FOR DAMAGES OF ANY KIND INCLUDING, BUT NOT LIMITED TO, COMPENSATION OR REIMBURSEMENT ON ACCOUNT OF THE LOSS OF PRESENT OR PROSPECTIVE PROFITS DUE TO FAILURE OF THIS UNIT, EITHER DURING THE WARRANTY PERIOD OR AFTER EXPIRATION OF THE WARRANTY, OR FOR ANY OTHER REASON WHATSOEVER

www.hedbox.com



HECbox

We Power Your Bussines



HED-BPU



NINA



NERO Series



BATTERY CHARGERS



RP-VB078



HED-A60



RP-BP975



UNIX



RP-LPE6H



HOLD II



4CH CHARGER